

# SAFETY DATA SHEET



Revision Date 31-Jul-2015  
Version 1.01

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name P.O.G (Paint, Oil & Grease)  
Product code W.20090

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Professional Carpet Cleaning  
Restrictions on use Professional Use Only

### 1.3 Details of the supplier of the safety data sheet

E-mail Address msds@chemspecworld.com

### 1.4 Emergency telephone number

Emergency telephone number Chemtrec: +1 703-527-3887 ex-USA  
Chemtrec: 1-800-424-9300 USA

## 2. Hazards identification

### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910.1200

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3 - (H336)
Aspiration toxicity	Category 1
Flammable liquids	Category 3

### 2.2 Label elements

#### Signal Word

Danger

#### Hazard Statements

Harmful if swallowed  
Causes skin irritation  
May cause drowsiness or dizziness  
May be fatal if swallowed and enters airways  
Flammable liquid and vapor

**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling  
 Do not eat, drink or smoke when using this product  
 Wear protective gloves/protective clothing/eye protection/face protection  
 Avoid breathing dust/fume/gas/mist/vapors/spray  
 Use only outdoors or in a well-ventilated area  
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
 Keep container tightly closed  
 Ground/Bond container and receiving equipment  
 Use explosion-proof electrical/ventilating/lighting/equipment  
 Use only non-sparking tools  
 Take precautionary measures against static discharge  
 Keep cool

If skin irritation occurs: Get medical advice/attention  
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
 Wash contaminated clothing before reuse  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 Call a POISON CENTER or doctor/physician if you feel unwell  
 Rinse mouth  
 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician  
 Do NOT induce vomiting  
 In case of fire: Use CO<sub>2</sub>, dry chemical, or foam for extinction

**Precautionary Statements - Storage**

Store locked up  
 Store in a well-ventilated place. Keep container tightly closed

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**2.3. Other Hazards Hazards not otherwise classified (HNOC)**

Not Applicable

**2.4 Other information**

Not Applicable

**Unknown Acute Toxicity**

< 1% of the mixture consists of ingredient(s) of unknown toxicity

### 3. Composition/Information on Ingredients

**Substance****Mixture**

Chemical Name	CAS-No	Weight %
AMYL ACETATE	628-63-7	20 - 30
Petroleum Naphtha, Heavy Alkylate	64741-65-7-LB	20 - 30
Alcohols, C6-C12, Ethoxylated, propoxylated	68937-66-6	20 - 30
2-METHYLBUTYL ACETATE	624-41-9	10 - 20
Alcohols, C10-C16, ethoxylated, propoxylated	69227-22-1	10 - 20
ETHANOL, 2-BUTOXY-	111-76-2	5 - 10

The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. First aid measures

### 4.1 Description of first-aid measures

<b>General advice</b>	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. If symptoms persist, call a physician.
<b>Eye contact</b>	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
<b>Skin contact</b>	Wash off immediately with plenty of water. Immediate medical attention is not required. Wash off immediately with soap and plenty of water. Remove all contaminated clothes and shoes. If skin irritation persists, call a physician.
<b>Inhalation</b>	Move to fresh air. Consult a physician. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Immediate medical attention is not required. Move to fresh air in case of accidental inhalation of vapors. If symptoms persist, call a physician. Move to fresh air in case of accidental inhalation of vapors or decomposition products.
<b>Ingestion</b>	Do NOT induce vomiting. Rinse mouth. Drink plenty of water. If symptoms persist, call a physician. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	See Section 2.2, Label Elements and/or Section 11, Toxicological effects.
-----------------	---

### 4.3 Indication of any immediate medical attention and special treatment needed

<b>Notes to physician</b>	Treat symptomatically.
---------------------------	------------------------

## 5. Fire-Fighting Measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Water spray Foam Dry powder Use: Dry chemical Carbon dioxide (CO<sub>2</sub>) Alcohol-resistant foam

**Unsuitable Extinguishing Media** None.

### 5.2 Special hazards arising from the substance or mixture

#### Special Hazard

Hazardous decomposition products formed under fire conditions Contact with water liberates toxic gas Risk of ignition

**Hazardous Combustion Products** No information available.

#### Explosion Data

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

### 5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. Accidental Release Measures

**6.1 Personal precautions, protective equipment and emergency procedures**

Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas. Use personal protective equipment. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges.

**6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological information.

**6.3 Methods and materials for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers. Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Soak up with inert absorbent material. Take precautionary measures against static discharges.

**7. Handling and storage****7.1 Precautions for safe handling**

**Advice on safe handling** Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Use only in an area containing flame proof equipment. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Do not breathe vapors or spray mist. Keep away from heat, sparks and open flame. No smoking. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

**Hygiene measures** When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat.

**Materials to Avoid** Strong oxidizing agents.

**8. Exposure controls/personal protection****8.1 Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TWAEV
AMYL ACETATE 628-63-7	STEL: 100 ppm TWA: 50 ppm	TWA: 100 ppm TWA: 525 mg/m <sup>3</sup>	TWA: 50 ppm STEL: 100 ppm	TWA: 50 ppm TWA: 266 mg/m <sup>3</sup> STEL: 100 ppm STEL: 532 mg/m <sup>3</sup>	TWA: 50 ppm TWA: 266 mg/m <sup>3</sup> STEL: 100 ppm STEL: 532 mg/m <sup>3</sup>	TWA: 50 ppm STEL: 100 ppm
2-METHYLBUTYL ACETATE 624-41-9	STEL: 100 ppm TWA: 50 ppm	-	TWA: 50 ppm STEL: 100 ppm		TWA: 50 ppm TWA: 266 mg/m <sup>3</sup> STEL: 100 ppm STEL: 532 mg/m <sup>3</sup>	TWA: 50 ppm STEL: 100 ppm
ETHANOL, 2-BUTOXY- 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> S*	TWA: 20 ppm	TWA: 20 ppm TWA: 97 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 97 mg/m <sup>3</sup>	TWA: 20 ppm

**8.2 Appropriate engineering controls**

**Engineering Measures** Showers  
Eyewash stations  
Ventilation systems.

**8.3 Individual protection measures, such as personal protective equipment**

<b>Eye/Face Protection</b>	Tightly fitting safety goggles. Face-shield.
<b>Skin and body protection</b>	Antistatic boots. Wear fire/ flame resistant/ retardant clothing. Impervious gloves. Long sleeved clothing. Apron. Chemical resistant apron.
<b>Respiratory protection</b>	In case of insufficient ventilation:. Breathing apparatus with filter.
<b>Hygiene measures</b>	See section 7 for more information

**9. Physical and chemical properties****9.1 Information on basic physical and chemical properties**

<b>Physical state</b>	Liquid
<b>Appearance</b>	Clear liquid
<b>Color</b>	Colorless
<b>Odor</b>	Banana
<b>Odor Threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Methods</u>
<b>pH</b>		No information available
<b>Melting/freezing point</b>		No information available
<b>Boiling point/boiling range</b>		No information available
<b>Flash Point</b>	41 °C / 106 °F	
<b>Evaporation rate</b>		No information available
<b>Flammability (solid, gas)</b>		No information available
<b>Flammability Limits in Air</b>		
upper flammability limit		No information available
lower flammability limit		No information available
<b>Vapor pressure</b>		No information available
<b>Vapor density</b>		No information available
<b>Specific Gravity</b>	0.875	
<b>Water solubility</b>		No information available
<b>Solubility in other solvents</b>		No information available
<b>Partition coefficient</b>		No information available
<b>Autoignition temperature</b>		No information available
<b>Decomposition temperature</b>		No information available
<b>Viscosity, kinematic</b>		No information available
<b>Viscosity, dynamic</b>		No information available
<b>Explosive properties</b>		No information available
<b>Oxidizing Properties</b>		No information available

**9.2 Other information**

**Volatile organic compounds (VOC) content** 34.5

**10. Stability and Reactivity****10.1 Reactivity**

No data available

**10.2 Chemical stability**

Stable under recommended storage conditions

**10.3 Possibility of hazardous reactions**

None under normal processing.

**10.4 Conditions to Avoid**

Heat, flames and sparks.

**10.5 Incompatible Materials**

Strong oxidizing agents.

**10.6 Hazardous Decomposition Products**

Carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), oxides of nitrogen (NO<sub>x</sub>), dense black smoke.

<b>11. Toxicological information</b>
--------------------------------------

**11.1 Acute toxicity****Numerical measures of toxicity: Product Information**

The following values are calculated based on chapter 3.1 of the GHS document

**Unknown Acute Toxicity** < 1% of the mixture consists of ingredient(s) of unknown toxicity

<b>Oral LD50</b>	1,230.00 mg/kg
<b>Dermal LD50</b>	11,329.00 mg/kg
<b>LC50 (Dust/Mist)</b>	15.40 mg/l
<b>LC50 (Vapor)</b>	113.00 mg/l

**Numerical measures of toxicity: Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Petroleum Naphtha, Heavy Alkylate 64741-65-7-LB	7000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	> 5.04 mg/L ( Rat ) 4 h
ETHANOL, 2-BUTOXY- 111-76-2	470 mg/kg ( Rat )	= 2000 mg/kg ( Rabbit )	= 450 ppm ( Rat ) 4 h

**11.2 Information on toxicological effects****Skin corrosion/irritation**Product Information

- No information available

Component Information

- No information available

**Eye damage/irritation**Product Information

- No information available

Component Information

- No information available

**Respiratory or skin sensitization**Product Information

- No information available

Component Information

- No information available

**Germ cell mutagenicity**Product Information

- No information available

Component Information

- No information available

**Carcinogenicity**Product Information

- This product contains one or more substances which are classified by IARC as carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B)

Component Information

- 

**Reproductive toxicity**Product Information

- No information available

Component Information

- No information available

**STOT - single exposure**

No information available

**STOT - repeated exposure**

- May cause adverse liver effects
- Ethylene glycol monobutyl ether (CAS#111-76-2): Laboratory studies on experimental animals indicate that exposure may cause red blood cell damage and damage to the kidney and liver. These effects have not been observed in humans. Laboratory animal studies have reported adverse reproductive and developmental effects from overexposure
- Avoid repeated exposure

**Other adverse effects**Target Organs

- Blood
- Central nervous system
- Eyes
- Hematopoietic System
- Kidney
- Liver
- Respiratory system
- Skin

Product Information

- No information available

Component Information

- No information available

**Aspiration hazard**Product Information

- No information available

Component Information

- No information available

## 12. Ecological information

**12.1 Toxicity****Ecotoxicity**

No information available

43.9095 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

**Ecotoxicity effects**

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
AMYL ACETATE 628-63-7	-	LC50: 96 h <i>Lepomis macrochirus</i> 650 mg/L static	-
Petroleum Naphtha, Heavy Alkylate 64741-65-7-LB	EC50: 72 h <i>Pseudokirchneriella</i> <i>subcapitata</i> 30000 mg/L	-	LC50: 48 h <i>Mysidopsis bahia</i> 2 mg/L

ETHANOL, 2-BUTOXY- 111-76-2	-	LC50: 96 h Lepomis macrochirus 1490 mg/L static LC50: 96 h Lepomis macrochirus 2950 mg/L	EC50: 48 h Daphnia magna 1000 mg/L
--------------------------------	---	--	---------------------------------------

**12.2 Persistence and degradability**

No information available.

**12.3 Bioaccumulative potential**

Discharge into the environment must be avoided

Chemical Name	log Pow
ETHANOL, 2-BUTOXY- 111-76-2	0.81

**12.4 Mobility in soil**

No information available.

**12.5 Other adverse effects**

No information available

## 13. Disposal Considerations

**13.1 Waste treatment methods**

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

## 14. Transport Information

<b>DOT</b>	Not regulated
<b>MEX</b>	Not regulated
<b>IMDG</b>	Not regulated
<b>IATA</b>	Not regulated

## 15. Regulatory information

**15.1 International Inventories**

<b>TSCA</b>	Complies
<b>DSL</b>	Complies
<b>EINECS/ELINCS</b>	Complies
<b>ENCS</b>	Complies
<b>IECSC</b>	Complies
<b>KECL</b>	Complies
<b>PICCS</b>	Complies
<b>AICS</b>	Complies
<b>NZIoC</b>	-

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances



**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances  
**NZIoC** - New Zealand Inventory of Chemicals

## 15.2 U.S. Federal Regulations

### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
ETHANOL, 2-BUTOXY- 111-76-2	1.0

## 15.3 Pesticide Information

Not applicable

## 15.4 U.S. State Regulations

## 16. Other information

<b>NFPA</b>	Health Hazard 2	Flammability 2	Instability 0	Physical and chemical hazards -
<b>HMIS</b>	Health Hazard 2	Flammability 2	Physical Hazard 0	Personal protection X

### Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

Ceiling (C)

DOT (Department of Transportation)

EPA (Environmental Protection Agency)

IARC (International Agency for Research on Cancer)

International Air Transport Association (IATA)

International Maritime Dangerous Goods (IMDG)

NIOSH (National Institute for Occupational Safety and Health)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL (Permissible Exposure Limit)

Reportable Quantity (RQ)

Skin designation (S\*)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

TWA (time-weighted average)

**Prepared By** Chemspec Regulatory Affairs/Product Safety

**Revision Date** 31-Jul-2015

### Revision Note

No information available

### Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**